#### **SAFETY DATA SHEET**



# CM 920 Design



The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

# SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 16.12.2019

Revision date 19.09.2019

#### 1.1. Product identifier

Product name CM 920 Design

Article no. 921005-xxx (CM 920 Design comes in different colours, xxx identifies the

individual colour).

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / preparation CM 920 Industrial is a pumpable self-levelling compound. The product is

intended for indoor use on substrates of concrete.

Professional use Yes

Consumer use Yes

#### 1.3. Details of the supplier of the safety data sheet

Company name Combimix AB

Postal address Verkstadsvägen 6

Postcode S-746 40

City BÅLSTA

Country Sverige

Telephone number +46 17146 65 90

Email miljo@combimix.se

Website www.combimix.se

Enterprise No. 556614-8929

Contact person Christian Nordenson

# 1.4. Emergency telephone number

Emergency telephone Telephone number: Swedish emergency number: 112

US emergency number: 985 893 4066

UK emergency number: +44(0) 8703 330070 Office hours only (08.30-17.00 UK time)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP / GHS] Eye Irrit. 2; H319

#### 2.2. Label elements

#### Hazard pictograms (CLP)



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements P102 Keep out of reach of children. P280 wear eye protection. P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation

persists: Get medical advice / attention.

Tactile warnings No

Child-protection No

#### 2.3. Other hazards

PBT / vPvB No such ingredients in this product.

# **SECTION 3: Composition / information on ingredients**

3.2. Mixtures				
Substance	Identification	Classification	Contents	Notes
Aggregate (sand containing silica)			55 -60 %	
Portland cement (white)	CAS No.: 65997-15-1 EC No.: 266-043-4	Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT SE 3; H335	< 3 %	

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation Let he affected person to breathe fresh air for a long time.

Skin contact Powder: Brush away, wash area with soap and water.

Wet mass: Remove contaminated clothing quickly. Wash exposed body parts

with soap and water.

Eye contact Do not rub eyes. Remove contact lenses if present, and easy to do. Flush eyes

by rinsing with plenty of water. Seek medical attention if irritation persists.

Ingestion Drink water. Do not induce vomiting. Get medical advice/attention if you feel

unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects Running, stinging and irritated eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Separate first aid equipment Evev

Eyewash, easily accessible.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media

The product is non-combustible.

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards

None.

#### 5.3. Advice for firefighters

Other information

No information.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

Avoid direct contact with uncured or hardening product.

Personal protection measures

Eye contact MUST be prevented by means of suitable personal protection

equipment.

## 6.2. Environmental precautions

Environmental precautionary

measures

Avoid spreading to sewers, drainage systems, streams and similar.

#### 6.3. Methods and material for containment and cleaning up

Containment

Torrt pulver bortforslas i tillslutna kärl för att minimera risk för dammspridning.

Clean up

Vacuum clean up is recommended for dry product, using shovels or brushes may cause irritating/hazardous dust. Wet product can be shoveled, avoid contact. Hardened material is no longer aggressive or hazardous. Transport waste in scaled container.

sealed container.

#### 6.4. Reference to other sections

Other instructions

See section 8 for protective equipment, section 13 for waste code.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Handling

Handle in original packaging or other tightly sealed container. If mixing takes place indoors, the room should be well ventilated.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage

Store dry and out of reach of children.

## 7.3. Specific end use(s)

Specific use(s)

No recommendation given.

## **SECTION 8: Exposure controls / personal protection**

#### 8.1. Control parameters

Control parameters comments

Portland cement, 10 mg/m3 inhalable dust. Portland cement, 4mg/m3 respirable dust

#### 8.2. Exposure controls

#### Safety signs







# Eye / face protection

Suitable eye protection

Tightly sealed goggles

#### Hand protection

Suitable gloves type

Gloves.

#### Skin protection

Skin protection remark

Wear appropriate clothing to prevent skin contact.

## Respiratory protection

Respiratory protection, comments

Use respiratory equipment with particle filter, type P3, if risk of inhaling dust.

## Hygiene / environmental

Specific hygiene measures

Wash contaminated clothing before reuse.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Powder.

Colour Grey.

Odour No characteristic odour.
pH Status: In delivery state

Comments: pH, ca 13 mixed with water.

## 9.2. Other information

## Other physical and chemical properties

Comments Reacts with water, pH rises, solidifies under weak, harmless, temperature rise.

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Reacts with water, moderate heat generation, during the curing process, high pH

is formed.

## 10.2. Chemical stability

Stability Stable under normal temperature conditions and recommended use.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Inga farliga reaktioner förväntas inträffa.

#### 10.4. Conditions to avoid

Conditions to avoid None to expect.

#### 10.5. Incompatible materials

Materials to avoid Not known.

#### 10.6. Hazardous decomposition products

Hazardous decomposition

products

Not relevant.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### Other information regarding health hazards

Skin corrosion / irritation, other We

information

Wet product may cause skin irritation.

Eye damage or irritation other

information

Dust in the eyes will cause irritation. Wet product is more aggressive to eyes than

dry powder.

Eye contact Causes serious eye irritation.

## Symptoms of exposure

In case of skin contact Dry skin.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

**Ecotoxicity** 

The preparation is not considered as ecotoxic.

# 12.2. Persistence and degradability

Persistence and degradability description/evaluation

No ecotoxicological risks / hazards known. Is not easily degradable.

## 12.3. Bioaccumulative potential

Bioaccumulation, comments

Bioaccumulation: Is not expected to be bioaccumulable.

## 12.4. Mobility in soil

Mobility

-

Mobility, comments

Not relevant.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

Not Classified as PBT/vPvB by current EU criteria.

#### 12.6. Other adverse effects

Additional ecological information

Not relevant.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Specify the appropriate methods

of disposal

Dry powder is handled in well-sealed vessels to prevent dusting.

Product classified as hazardous

waste

Yes

Packaging classified as hazardous

waste

No

Other information

EWC-code powder 160303, EWC-code, cured produkt 170904

## **SECTION 14: Transport information**

Dangerous goods

No

#### 14.1. UN number

Comments

Not relevant.

## 14.2. UN proper shipping name

Comments Not relevant.

## 14.3. Transport hazard class(es)

Comments Not relevant.

## 14.4. Packing group

Comments Not relevant.

#### 14.5. Environmental hazards

ADR/RID/ADN Not relevant.

## 14.6. Special precautions for user

Special safety precautions for user None.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Pollution category Not relevant.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

## 15.2. Chemical safety assessment

Chemical safety assessment performed

No

## **SECTION 16: Other information**

List of relevant H-phrases (Section

2 and 3)

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Information added, deleted or

revised

In section 3 statement about solvents is added.

Version 1